



United States  
Department of  
Agriculture

Forest  
Service

NA

MFO

Reply to: 3420 Detection

Date:

October 24, 1983

Subject: 1983 Gypsy Moth Male Trapping Results

To: District Ranger  
Gauley Ranger District  
Monongahela National Forest  
Richwood, WV 26261

Enclosed are a map and table showing the 1983 gypsy moth male trapping results on your District.

Forest-wide, a total of 56 male moths were caught at 187 trap locations. The breakdown by District follows:

<u>District</u>	<u># Traps Deployed</u>	<u># Moths Caught</u>
Cheat	37	23
Gauley	25	0
Greenbrier	25	0
Marlinton	25	1
Potomac	50	32
White Sulphur	25	0
Total	187	56

These figures do not imply that the other life stages of gypsy moth are or will be present on the Forest this year. These data do identify areas that should be reconsidered. We strongly recommend monitoring during 1984 using tree handling methods for detecting gypsy moth larvae and deployment of male moth traps. Also, the Monongahela National Forest should begin to incorporate a gypsy moth component into the management plan for the Forest. We would appreciate the opportunity to assist in these efforts.



Nancy Rook of my staff will be contact with you in the near future to schedule a visit to the positive trap catch locations on your District. In the meantime, should District personnel locate any gypsy moth egg masses, this office should be notified.

Thank you for your cooperation.



ALLAN T. BULLARD  
Field Representative  
Forest Pest Management

Enclosures

cc: Forest Supervisor

AU

Van Aken, R-9  
Al Miller w/maps and tables

RCR/ham

## 1983 Gypsy Moth Male Trapping Results - Gauley Ranger District

---

Trap Number	Number of Moths
1	0
2	0
3	0
4	0
5	0
6	Missing
7	Missing
8	0
9	Missing
10	0
11	0
12	Missing
13	0
14	0
15	Missing
16	Missing
17	0
18	0
19	Missing
20	Missing
21	0
22	0
23	Missing
24	0
25	0
Trap at VC	0
Trap at Perry Ridge	0
Grand Total	0

---

MONONGAHELA NATIONAL FOREST  
Gauley Ranger District

## 1983 Gypsy Moth Male Trapping Locations

